

Medidas y pesos de cañerías

DIMENSIÓN NOM. CAÑERÍA OD PULGADA OD MM		SCHEDULE ANSI / ASME		ESPESOR DE PARED PULG. MM		PESO LIBRAS/PIE KG/MT.		DIMENSIÓN NOM. CAÑERÍA OD PULGADA OD MM		SCHEDULE ANSI / ASME		ESPESOR DE PARED PULG. MM		PESO LIBRAS/PIE KG/MT.	
1/8 6	0,405 10,3	STD XS	10 10S	0,049	1,24	0,186	0,28	3 - 1/2 90	4,000 101,6	STD XS XX	5 5S	0,083	2,11	3,472	5,17
			40 40S	0,068	1,73	0,244	0,36				10 10S	0,120	3,05	4,973	7,40
			80 80S	0,095	2,41	0,315	0,47				40 40S	0,226	5,74	9,109	13,56
1/4 8	0,540 13,7	STD XS	10 10S	0,065	1,65	0,329	0,49	100	4,500 114,3	STD XS XX	5 5S	0,083	2,11	3,915	5,83
			40 40S	0,088	2,24	0,425	0,63				10 10S	0,120	3,05	5,613	8,35
			80 80S	0,119	3,02	0,535	0,80				40 40S	0,237	6,02	10,79	16,06
3/8 10	0,675 17,1	STD XS	10 10S	0,065	1,65	0,424	0,63	120	XX	120	0,438	11,13	19,00	28,28	
			40 40S	0,091	2,31	0,568	0,84			160	0,531	13,49	22,51	33,50	
			80 80S	0,126	3,20	0,739	1,10			XX	0,674	17,12	27,54	40,99	
1/2 15	0,840 21,3	STD XS XX	5 5S	0,065	1,65	0,538	0,80	125	5,563 141,3	STD XS XX	5 5S	0,109	2,77	6,349	9,45
			10 10S	0,083	2,11	0,671	1,00				10 10S	0,134	3,40	7,770	11,56
			40 40S	0,109	2,77	0,851	1,27				40 40S	0,258	6,55	14,62	21,76
			80 80S	0,147	3,73	1,088	1,62				80 80S	0,375	9,53	20,78	30,93
			160	0,188	4,78	1,309	1,95				120	0,500	12,70	27,04	40,24
3/4 20	1,050 26,7	STD XS XX	5 5S	0,065	1,65	0,683	1,02	150	6,625 168,3	STD XS XX	5 5S	0,109	2,77	7,585	11,29
			10 10S	0,083	2,11	0,857	1,28				10 10S	0,134	3,40	9,289	13,82
			40 40S	0,113	2,87	1,131	1,68				40 40S	0,280	7,11	18,97	28,23
			80 80S	0,154	3,91	1,474	2,19				80 80S	0,432	10,97	28,57	42,52
			160	0,219	5,56	1,944	2,89				120	0,562	14,27	36,39	54,16
1 25	1,315 33,4	STD XS XX	5 5S	0,065	1,65	0,867	1,29	200	8,625 219,1	STD XS XX	5 5S	0,109	2,77	9,914	14,75
			10 10S	0,109	2,77	1,404	2,09				10 10S	0,148	3,76	13,40	19,94
			40 40S	0,133	3,38	1,679	2,50				20 20S	0,250	6,35	22,36	33,28
			80 80S	0,179	4,55	2,172	3,23				30 30S	0,277	7,04	24,70	36,76
			160	0,250	6,35	2,844	4,23				40 40S	0,322	8,18	28,55	42,49
1 - 1/4 32	1,660 42,2	STD XS XX	5 5S	0,065	1,65	1,107	1,65	250	10,750 273,1	STD XS XX	5 5S	0,109	2,77	11,19	16,50
			10 10S	0,109	2,77	1,806	2,69				10 10S	0,165	4,19	18,70	27,83
			40 40S	0,140	3,56	2,273	3,38				20 20S	0,250	6,35	28,04	41,73
			80 80S	0,191	4,85	2,997	4,46				30 30S	0,307	7,80	34,24	50,96
			160	0,250	6,35	3,765	5,60				40 40S	0,365	9,27	40,48	60,24
1 - 1/2 40	1,900 48,3	STD XS XX	5 5S	0,065	1,65	1,274	1,90	300	12,750 323,9	STD XS XX	5 5S	0,156	3,96	20,98	31,22
			10 10S	0,109	2,77	2,085	3,10				10 10S	0,180	4,57	24,20	36,02
			40 40S	0,145	3,68	2,718	4,05				20 20S	0,250	6,35	33,38	49,68
			80 80S	0,200	5,08	3,631	5,40				30 30S	0,330	8,38	43,77	65,14
			160	0,281	7,14	4,859	7,23				40 40S	0,375	9,53	49,56	73,76
2 50	2,375 60,3	STD XS XX	5 5S	0,065	1,65	1,604	2,39	300	12,750 323,9	STD XS XX	5 5S	0,406	10,31	53,52	79,65
			10 10S	0,109	2,77	2,638	3,93				10 10S	0,500	12,70	65,42	97,36
			40 40S	0,154	3,91	3,653	5,44				20 20S	0,562	14,27	73,15	108,87
			80 80S	0,218	5,54	5,022	7,47				30 30S	0,688	17,48	88,63	131,90
			160	0,344	8,74	7,462	11,11				40 40S	0,844	21,44	107,32	159,72
2 - 1/2 65	2,875 73,0	STD XS XX	5 5S	0,083	2,11	2,475	3,68	300	12,750 323,9	STD XS XX	5 5S	1,000	25,40	104,13	154,97
			10 10S	0,120	3,05	3,531	5,26				10 10S	1,125	28,58	115,64	172,10
			40 40S	0,203	5,16	5,793	8,62				20 20S	1,312	33,32	160,27	238,52
			80 80S	0,276	7,01	7,661	11,40				30 30S	1,500	38,13	181,81	265,05
			160	0,375	9,53	10,01	14,90				40 40S	1,688	42,97	200,00	291,50
3 80	3,500 88,9	STD XS XX	5 5S	0,083	2,11	3,029	4,51	300	12,750 323,9	STD XS XX	5 5S	1,875	42,19	210,00	304,50
			10 10S	0,120	3,05	4,332	6,45				10 10S	2,063	45,37	230,00	334,50
			40 40S	0,216	5,49	7,576	11,27				20 20S	2,250	49,63	250,00	364,50
			80 80S	0,300	7,62	10,25	15,25				30 30S	2,438	53,89	270,00	394,50
			160	0,438	11,13	14,32	21,31				40 40S	2,625	58,15	290,00	424,50
3 - 1/2 90	4,000 101,6	STD XS XX	5 5S	0,083	2,11	3,029	4,51	300	12,750 323,9	STD XS XX	5 5S	2,813	62,41	320,00	464,50
			10 10S	0,120	3,05	4,332	6,45				10 10S	3,000	66,67	340,00	494,50
			40 40S	0,216	5,49	7,576	11,27				20 20S	3,188	70,93	360,00	524,50
			80 80S	0,300	7,62	10,25	15,25				30 30S	3,375	75,19	380,00	554,50
			160	0,438	11,13	14,32	21,31				40 40S	3,563	79,45	400,00	584,50